

PHP Version 4.3.11

System	FreeBSD zebra.esosoft.net 4.7-RELEASE FreeBSD 4.7-RELEASE #0: Sun Feb i386
Build Date	May 27 2005 02:55:27
Configure Command	'./configure' '--with-apxs=/usr/local/apache/sbin/apxs' '--with-config-file-path=/usr/local/lib/php' '--enable-memory-limit' '--enable-safe-mode' '--enable-inline-optimization' '--enable-calendar' '--enable-ftp' '--enable-wddx' '--with-gd' '--enable-gd-native-ttf' '--with-jpeg-dir=/usr/local' '--with-png-dir=/usr/local' '--with-freetype-dir=/usr/local' '--with-zlib-dir' '--with-xpm-dir=/usr/X11R6' '--with-mysql=/usr/local' '--with-zlib' '--with-mcrypt' '--with-ming=/usr/local' '--with-openssl=/usr/local' '--with-imap' '--with-imap-ssl'
Server API	Apache
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/usr/local/lib/php/php.ini
PHP API	20020918
PHP Extension	20020429
Zend Extension	20021010
Debug Build	no
Thread Safety	disabled
Registered PHP Streams	php, http, ftp, https, ftps, compress.zlib

This program makes use of the Zend Scripting Language Engine:
Zend Engine v1.3.0, Copyright (c) 1998-2004 Zend Technologies with eAccelerator v0.9.3, Copyright (c) 2004-2005 eAccelerator, by eAccelerator with Zend Extension Manager v1.0.7, Copyright (c) 2003-2005, by Zend Technologies with Zend Optimizer v2.5.10, Copyright (c) 1998-2005, by Zend Technologies

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&

arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	0	2037
expose_php	Off	Off
extension_dir	/usr/local/lib/php/extensions/no-debug-non-zts-20020429/	/usr/local/lib/php/extensions/no-debug-non-zts-20020429/
file_uploads	On	On
gpc_order	GPC	GPC
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off

ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	lib/pear:lib/adodb:lib/pear:lib::usr/local/lib/php	::usr/local/lib/php
log_errors	Off	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
max_execution_time	30	30
max_input_time	60	60
memory_limit	50M	50M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	16M	16M
precision	14	14
register_argc_argv	On	On
register_globals	On	On
report_memleaks	On	On
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -f webmaster@gran-canaria-info.com	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off

unserialize_callback_func	no value	no value
upload_max_filesize	40M	40M
upload_tmp_dir	no value	no value
user_dir	no value	no value
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On

Zend Optimizer

Optimization Pass 1	enabled
Optimization Pass 2	enabled
Optimization Pass 3	enabled
Optimization Pass 4	enabled
Optimization Pass 9	disabled
Zend Loader	enabled
License Path	no value

apache

APACHE_INCLUDE	no value
APACHE_TARGET	no value
Apache Version	Apache
Apache Release	10333100
Apache API Version	19990320
Hostname:Port	www.gran-canaria-info.com:80
User/Group	web(86)/86
Max Requests	Per Child: 200 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 15
Server Root	/usr/local/apache

Loaded Modules	mod_gzip, mod_proxy_add_forward, mod_php4, mod_qs2ssi, mod_macro, mod_setenvif, mod_so, mod_proxy, mod_auth_cookie, mod_auth_mysql, mod_auth_dbm, mod_auth, mod_access, mod_rewrite, mod_frontpage, mod_alias, mod_speling, mod_actions, mod_cgi, mod_dir, mod_autoindex, mod_include, mod_status, mod_negotiation, mod_mime, mod_log_config, mod_env, http_core
-----------------------	--

Directive	Local Value	Master Value
child_terminate	0	0
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
DOCUMENT_ROOT	/home/infofrea/htdocs
HTTP_ACCEPT	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-shockwave-flash, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, */*
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_ACCEPT_LANGUAGE	nl
HTTP_CONNECTION	Keep-Alive
HTTP_COOKIE	tiki-user-tikiwiki=d45fdd19dd80703601cd4594bf709558; PHPSESSID=2d344ed66877786c6cf835a6cef34ee6; tz_offset=3600; YaBBSECookie151=a%3A2%3A%7Bi%3A0%3Bs%3A1%3A%22%22%3Bi%3A1%3Bs%3A32%3A%22ad1b0441b0be153e6241529cbd83ae4a%22%3B%7D
HTTP_HOST	www.gran-canaria-info.com
HTTP_REFERER	http://www.gran-canaria-info.com/wiki/tiki-read_article.php?articleId=149
HTTP_USER_AGENT	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1)
PATH	/sbin:/bin:/usr/sbin:/usr/bin
REMOTE_ADDR	80.102.57.41
REMOTE_PORT	4758
SCRIPT_FILENAME	/home/infofrea/htdocs/wiki/tiki-phpinfo.php
SERVER_ADDR	38.118.200.10
SERVER_ADMIN	webmaster@gran-canaria-info.com
SERVER_NAME	www.gran-canaria-info.com
SERVER_PORT	80

SERVER_SIGNATURE	<ADDRESS>Apache/1.3.33 Server at www.gran-canaria-info.com Port 80</ADDRESS>
SERVER_SOFTWARE	Apache
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/wiki/tiki-phpinfo.php
SCRIPT_NAME	/wiki/tiki-phpinfo.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /wiki/tiki-phpinfo.php HTTP/1.1
Accept	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-shockwave-flash, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, */*
Accept-Encoding	gzip, deflate
Accept-Language	nl
Connection	Keep-Alive
Cookie	tiki-user-tikiwiki=d45fdd19dd80703601cd4594bf709558; PHPSESSID=2d344ed66877786c6cf835a6cef34ee6; tz_offset=3600; YaBBSECookie151=a%3A2%3A%7Bi%3A0%3Bs%3A1%3A%22%22%3Bi%3A1%3Bs%3A32%3A%22ad1b0441b0be153e6241529cbd83ae4a%22%3B%7D
Host	www.gran-canaria-info.com
Referer	http://www.gran-canaria-info.com/wiki/tiki-read_article.php?articleId=149
User-Agent	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1)
HTTP Response Headers	
Expires	Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control	no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma	no-cache

calendar

Calendar support	enabled
------------------	---------

ctype

ctype functions	enabled
-----------------	---------

eAccelerator

eAccelerator support	enabled
Version	0.9.3
Caching Enabled	true
Optimizer Enabled	true
Memory Size	33,554,396 Bytes
Memory Available	2,076 Bytes
Memory Allocated	33,552,320 Bytes
Cached Scripts	470
Removed Scripts	0
Cached Keys	0

Directive	Local Value	Master Value
eaccelerator.cache_dir	/usr/local/apache/var/php/accelerator	/usr/local/apache/var/php/accelerator
eaccelerator.check_mtime	1	1
eaccelerator.compress	1	1
eaccelerator.compress_level	9	9
eaccelerator.content	shm_and_disk	shm_and_disk
eaccelerator.debug	0	0
eaccelerator.enable	1	1
eaccelerator.filter	no value	no value
eaccelerator.keys	shm_and_disk	shm_and_disk
eaccelerator.name_space	no value	no value
eaccelerator.optimizer	1	1
eaccelerator.sessions	shm_and_disk	shm_and_disk
eaccelerator.shm_max	0	0
eaccelerator.shm_only	0	0
eaccelerator.shm_prune_period	43200	43200

eaccelerator.shm_size	32	32
eaccelerator.shm_ttl	0	0

ftp

FTP support	enabled
--------------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.28 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XBM Support	enabled

imap

IMAP c-Client Version	2004
SSL Support	enabled

mcrypt

mcrypt support	enabled
version	>= 2.4.x
Supported ciphers	cast-128 cast-128 gost gost rijndael-128 rijndael-128 twofish twofish arcfour arcfour cast-256 cast-256 loki97 loki97 rijndael-192 rijndael-192 saferplus saferplus wake wake blowfish-compatible blowfish-compatible des des panama panama rijndael-256 rijndael-256 serpent serpent xtea xtea blowfish blowfish enigma enigma rc2 rc2 tripledes tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

ming

Ming SWF output library	enabled
Version	0.2a

mysql

MySQL Support	enabled
Active Persistent Links	1
Active Links	2
Client API version	4.0.18
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/tmp/mysql.sock
MYSQL_INCLUDE	-I/usr/local/include/mysql
MYSQL_LIBS	-L/usr/local/lib/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	15	15
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.7g 11 Apr 2005

overload

User-Space Object Overloading Support	enabled
---------------------------------------	---------

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	4.5 01-December-2003

posix

Revision	\$Revision: 1.51.2.3 \$
----------	-------------------------

session

Session Support	enabled
Registered save handlers	files user eaccelerator

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	no value	no value
session.cookie_lifetime	0	0
session.cookie_path	/wiki	/
session.cookie_secure	Off	Off
session.entropy_file	no value	no value
session.entropy_length	0	0
session.gc_divisor	1000	1000

session.gc_maxlifetime	3600	1440
session.gc_probability	1	1
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	user	files
session.save_path	/usr/local/apache/var/php/session	/usr/local/apache/var/php/session
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	Off
session.use_trans_sid	Off	Off

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -f webmaster@gran-canaria-info.com

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
--------------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
EXPAT Version	1.95.6

zlib

ZLib Support	enabled
Compiled Version	1.1.3
Linked Version	1.1.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

Environment

Variable	Value
HOME	/
mysql	YES
ftp	YES
apache	YES

PATH	/sbin:/bin:/usr/sbin:/usr/bin
popper	YES

PHP Variables

Variable	Value
_REQUEST["tiki-user-tikiwiki"]	d45fdd19dd80703601cd4594bf709558
_REQUEST["PHPSESSID"]	2d344ed66877786c6cf835a6cef34ee6
_REQUEST["tz_offset"]	3600
_REQUEST["YaBBSECookie151"]	a:2:{i:0;s:1:"2";i:1;s:32:"ad1b0441b0be153e6241529cbd83ae4a";}
_REQUEST["DOCUMENT_ROOT"]	/home/infofrea/htdocs
_REQUEST["HTTP_ACCEPT"]	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-shockwave-flash, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, */*
_REQUEST["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_REQUEST["HTTP_ACCEPT_LANGUAGE"]	nl
_REQUEST["HTTP_CONNECTION"]	Keep-Alive
_REQUEST["HTTP_COOKIE"]	tiki-user-tikiwiki=d45fdd19dd80703601cd4594bf709558; PHPSESSID=2d344ed66877786c6cf835a6cef34ee6; tz_offset=3600; YaBBSECookie151=a%3A2%3A%7Bi%3A0%3Bs%3A1%3A%22%22%3Bi%3A1%3Bs%3A32%3A%22ad1b0441b0be153e6241529cbd83ae4a%22%3B%7D
_REQUEST["HTTP_HOST"]	www.gran-canaria-info.com
_REQUEST["HTTP_REFERER"]	http://www.gran-canaria-info.com/wiki/tiki-read_article.php?articleId=149
_REQUEST["HTTP_USER_AGENT"]	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1)
_REQUEST["PATH"]	/sbin:/bin:/usr/sbin:/usr/bin
_REQUEST["REMOTE_ADDR"]	80.102.57.41
_REQUEST["REMOTE_PORT"]	4758
_REQUEST["SCRIPT_FILENAME"]	/home/infofrea/htdocs/wiki/tiki-phpinfo.php
_REQUEST["SERVER_ADDR"]	38.118.200.10
_REQUEST["SERVER_ADMIN"]	webmaster@gran-canaria-info.com
_REQUEST["SERVER_NAME"]	www.gran-canaria-info.com
_REQUEST["SERVER_PORT"]	80
_REQUEST["SERVER_SIGNATURE"]	<ADDRESS>Apache/1.3.33 Server at www.gran-canaria-info.com Port 80</ADDRESS>
_REQUEST["SERVER_SOFTWARE"]	Apache

_REQUEST["GATEWAY_INTERFACE"]	CGI/1.1
_REQUEST["SERVER_PROTOCOL"]	HTTP/1.1
_REQUEST["REQUEST_METHOD"]	GET
_REQUEST["QUERY_STRING"]	<i>no value</i>
_REQUEST["REQUEST_URI"]	/wiki/tiki-phpinfo.php
_REQUEST["SCRIPT_NAME"]	/wiki/tiki-phpinfo.php
_REQUEST["PATH_TRANSLATED"]	/home/infofrea/htdocs/wiki/tiki-phpinfo.php
_REQUEST["PHP_SELF"]	/wiki/tiki-phpinfo.php
_REQUEST["argv"]	Array ()
_REQUEST["argc"]	0
_COOKIE["tiki-user-tikiwiki"]	d45fdd19dd80703601cd4594bf709558
_COOKIE["PHPSESSID"]	2d344ed66877786c6cf835a6cef34ee6
_COOKIE["tz_offset"]	3600
_COOKIE["YaBBSECookie151"]	a:2:{i:0;s:1:"2";i:1;s:32:"ad1b0441b0be153e6241529cbd83ae4a";}
_SERVER["DOCUMENT_ROOT"]	/home/infofrea/htdocs
_SERVER["HTTP_ACCEPT"]	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-shockwave-flash, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, */*
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_ACCEPT_LANGUAGE"]	nl
_SERVER["HTTP_CONNECTION"]	Keep-Alive
_SERVER["HTTP_COOKIE"]	tiki-user-tikiwiki=d45fdd19dd80703601cd4594bf709558; PHPSESSID=2d344ed66877786c6cf835a6cef34ee6; tz_offset=3600; YaBBSECookie151=a%3A2%3A%7Bi%3A0%3Bs%3A1%3A%22%22%3Bi%3A1%3Bs%3A32%3A%22ad1b0441b0be153e6241529cbd83ae4a%22%3B%7D
_SERVER["HTTP_HOST"]	www.gran-canaria-info.com
_SERVER["HTTP_REFERER"]	http://www.gran-canaria-info.com/wiki/tiki-read_article.php?articleId=149
_SERVER["HTTP_USER_AGENT"]	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1)
_SERVER["PATH"]	/sbin:/bin:/usr/sbin:/usr/bin
_SERVER["REMOTE_ADDR"]	80.102.57.41
_SERVER["REMOTE_PORT"]	4758
_SERVER["SCRIPT_FILENAME"]	/home/infofrea/htdocs/wiki/tiki-phpinfo.php
_SERVER["SERVER_ADDR"]	38.118.200.10

_SERVER["SERVER_ADMIN"]	webmaster@gran-canaria-info.com
_SERVER["SERVER_NAME"]	http://www.gran-canaria-info.com
_SERVER["SERVER_PORT"]	80
_SERVER["SERVER_SIGNATURE"]	<ADDRESS>Apache/1.3.33 Server at www.gran-canaria-info.com Port 80</ADDRESS>
_SERVER["SERVER_SOFTWARE"]	Apache
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/wiki/tiki-phpinfo.php
_SERVER["SCRIPT_NAME"]	/wiki/tiki-phpinfo.php
_SERVER["PATH_TRANSLATED"]	/home/infofrea/htdocs/wiki/tiki-phpinfo.php
_SERVER["PHP_SELF"]	/wiki/tiki-phpinfo.php
_SERVER["argv"]	Array ()
_SERVER["argc"]	0

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.